

**G-Tek<sup>®</sup>**  
BY **PIP**

**G-Tek<sup>®</sup>**  
BY **PIP**

34-188  
**POSIGRIP<sup>®</sup>**  
**MAX**

XL/10

EN 388

4131X



**LESS EFFORT,  
MORE CONTROL**  
WITH HIGH-GRIP  
HAND PROTECTION

[www.pipusa.com](http://www.pipusa.com)

**POSIGRIP<sup>®</sup>**  
**MAX**

COATING TECHNOLOGY

**POSIGRIP  
MAX**



COATING TECHNOLOGY

**G-Tek®**  
BY PIP

34-188

**POSIGRIP®  
MAX**

L/9

EN 388

4131X

# STRONGER GRIP. REDUCED STRAIN. VERSATILE PROTECTION.

PosiGrip MAX™ is an advanced bi-polymer coating applied to select G-Tek® coated seamless knit work gloves to deliver superior grip in both dry and oily conditions. Its unique ultra-thin yet durable polymer composition ensures precise handling and resilience in tough conditions.

Unlike conventional coatings that may allow permeation to the skin increase the risk of dermatitis, PosiGrip MAX™ keeps hands dry when working with oils—reducing the chances of skin contamination and changeout rates.

# 35% LESS FORCE REQUIRED

When tested against conventional foam nitrile coatings, PosiGrip MAX™ required an average of 35% less gripping force on dry and oily surfaces- a clear advantage when grip is your first line of defense.


## POSIGRIP MAX™ REDUCES THE RISKS.

- Lower risk of cuts and lacerations from grip failure
- Lower risk of ergonomic injuries from overexertion
- Lower risk of skin reactions from contact with oil

### GRIP TESTING

#### AVERAGE CATCH/PULL FORCE REQUIRED

*Tested internally using a SATRA whole hand and grip STM 608 certified machine*





## ABRASION RESISTANCE UP TO 7,000 CYCLES

PosiGrip MAX™ remains durable up to nearly 7,000 ANSI/ISEA 105 abrasion cycles, resulting in a longer product lifespan.



LIGHT ASSEMBLY



AUTOMOTIVE MAINTENANCE



LIGHT MRO



INDUSTRIAL SANITATION



PACKAGING & INSPECTION

## FOR GENERAL PURPOSE AND LIGHT CUT APPLICATIONS



**34-188**  
XS-3XL

- Nylon spandex liner for soft, comfortable and flexible wear
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free

ANSI/ISEA 105



TOUCHSCREEN



STANDARD 100



**16-828**  
XS-3XL

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and light duty cut resistance
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Reinforced thumb crotch for enhanced durability in high wear areas
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free

ANSI/ISEA 105



TOUCHSCREEN



STANDARD 100

STYLE	GAUGE	ANSI/ISEA 105 CUT	ANSI/ISEA 105 ABRASION	ANSI/ISEA 105 PUNCTURE	SILICONE FREE	LATEX FREE	TOUCHSCREEN	REINFORCED THUMB	PROP 65
34-188	18	X	4	2	No	Yes	Yes	No	⚠️ <sup>C</sup>
16-828	18	A2	3	3	No	Yes	Yes	Yes	⚠️ <sup>C</sup>

⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov



## COMFORTABLE CUT RESISTANT LINER

PosiGrip MAX™ gloves feature a G-Tek® PolyKor® cut resistant liner—an industry trusted engineered yarn blend best known for its lightweight and cool feeling wear.



AEROSPACE & DEFENSE



MACHINERY MANUFACTURING



MRO



HVAC



HEAVY EQUIPMENT MAINTENANCE

### FOR MEDIUM TO HEAVY CUT RISK APPLICATIONS



ANSI/ISEA 105

A4  
3 3



TOUCHSCREEN



STANDARD 100

#### 16-848 XS-3XL

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and medium duty cut resistance
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Reinforced thumb crotch for enhanced durability in high wear areas
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free



ANSI/ISEA 105

A6  
3 3



TOUCHSCREEN



STANDARD 100

#### 16-868 XS-3XL

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and medium/heavy duty cut resistance
- 18-gauge high dexterity knit allows for dexterous handling
- Touchscreen compatibility reduces the need to remove gloves on the job
- Reinforced thumb crotch for enhanced durability in high wear areas
- Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
- Latex free

STYLE	GAUGE	ANSI/ISEA 105 CUT	ANSI/ISEA 105 ABRASION	ANSI/ISEA 105 PUNCTURE	SILICONE FREE	LATEX FREE	TOUCHSCREEN	REINFORCED THUMB	PROP 65
16-848	18	A4	3	3	No	Yes	Yes	Yes	⚠️ C
16-868	18	A6	3	3	No	Yes	Yes	Yes	⚠️ C



## 21-GAUGE ULTRA HIGH DEXTERITY OPTIONS

21-gauge liners deliver the highest form of dexterity achievable in cut resistant gloves- ideal for workers who require tactility to handle small parts on the job.



STONE CUTTING



SHEET METAL HANDLING



COMPOSITE MATERIAL HANDLING



GLASS CUTTING & INSTALLATION



CNC MACHINERY

## FOR HIGH DEXTERITY, MEDIUM TO HEAVY CUT RISKS



- 16-861**  
XXS-3XL
- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and light duty cut resistance
  - Paradox™ 21-gauge knit provides wearer the highest level of dexterity achievable on the market
  - Reinforced thumb crotch for enhanced durability in high wear areas
  - Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
  - Latex free

ANSI/ISEA 105  
A6  
4 2

TOUCHSCREEN

OEKO TEX®  
STANDARD 100



- 16-871**  
XXS-3XL
- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity, and light duty cut resistance
  - Paradox™ 21-gauge knit provides wearer the highest level of dexterity achievable on the market
  - Reinforced thumb crotch for enhanced durability in high wear areas
  - Oeko-Tex® 100 certified, free from heavy metals, formaldehyde, pesticides, and banned dyes
  - Latex free


ANSI/ISEA 105  
A7  
3 3

TOUCHSCREEN

OEKO TEX®  
STANDARD 100

STYLE	GAUGE	ANSI/ISEA 105 CUT	ANSI/ISEA 105 ABRASION	ANSI/ISEA 105 PUNCTURE	SILICONE FREE	LATEX FREE	TOUCHSCREEN	REINFORCED THUMB	PROP 65
16-861	21	A6	4	2	No	Yes	Yes	Yes	⚠️ <sup>C</sup>
16-871	21	A7	3	3	No	Yes	Yes	Yes	⚠️ <sup>C</sup>

⚠️<sup>C</sup> = WARNING: Cancer - www.P65Warnings.ca.gov



For our complete line of safety products  
visit [www.pipusa.com](http://www.pipusa.com)



**SCAN HERE**  
to learn more  
about this collection



**PROTECTIVE INDUSTRIAL PRODUCTS, INC.**

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com