

PIP

INTELLIGENT GLOVE SOLUTIONS

www.pipusa.com

MaxiFlex
CE **ATG** Ultimate
EN 388 34-874
4131
Sanitized®
Patent No. EP 1 608 808
www.atg-glovesolutions.com





FOCUSED ON INNOVATION



Showcasing the latest innovations in hand protection from the recognized world-class leader in hand protection, ATG®.

ATG® designs, develops, and manufactures gloves that enhance the performance of the most sophisticated work tool, the hand.

A Fully Integrated Approach

Focused on innovation and quality, ATG® is a fully integrated manufacturer with control of all elements of the manufacturing process, from covering and twisting of yarns, knitting liners, coating, to finishing and packing. ATG® operates according to ISO 9001 manufacturing standards, applying a fully integrated approach to transition products from a laboratory concept to full production quickly and efficiently. Not a single element of any product is outsourced.

All ATG® gloves are dermatologically accredited by the Skin Health Alliance and are post washed prior to packaging enabling us to guarantee them "fresh out of the pack" as certified by Oeko-Tex®. All ingredients used in the production of our gloves are manufactured and subject to authorization under the REACH Regulation.

PROTECTION & QUALITY

			CUT RESISTANCE	HEAT RESISTANCE	STATIC DISSIPATIVE	GENERAL PURPOSE	LIQUID & CHEMICAL	WET	DRY	OILY	
BRAND	HANDLING CONDITIONS	LINER TECHNOLOGY	PROTECTION					GRIP			PAGE
MaxiCut®	Assured cut protection in dry and slightly oily environments	MaxiCut®	●						●		2
		MaxiCut® Dry	●						●		2
		MaxiCut® Ultra/Ultra DT™	●						●		2
		MaxiCut® Kevlar®	●	●							2
		MaxiCut® Oil™	●					●		●	2
MaxiFlex®	Precision handling in dry environments	MaxiFlex® Cut™	●						●		4
		MaxiFlex® Ultimate™				●			●		5
		MaxiFlex® Endurance™				●			●		5
		MaxiFlex® Elite™				●			●		6
		MaxiFlex® Elite™ ESD			●	●					6
		MaxiFlex® Active™				●			●		6
		MaxiFlex® Comfort™				●			●		6
MaxiFoam®	Good dry grip, compatibility with light oils	MaxiFoam®				●			●		6
MaxiDry®	Controlled performance in wet and oily environments	MaxiDry®				●		●		●	7
		MaxiDry® Zero™				●		●		●	7
		MaxiDry® Plus™				●		●		●	7
MaxiDex®	Safe handling in wet environments and/or on viral surfaces					●	●				6
MaxiChem®	Secure safety for chemical environments	MaxiChem®					●	●		●	8
		MaxiChem® Cut™	●				●	●		●	8

ATG® TECHNOLOGIES



CUTtech®

- > Innovated fibers – unique engineered high-performance yarns and fibers that offer cut protection while maintaining comfort
- > Reinforced in high wear areas between the thumb and forefinger



AIRtech®

- > 360° breathability patented Micro-Foam nitrile coating. The most breathable glove on the market



DURAtch®

- > 25% thinner than most nitrile coated gloves on the market, provides twice the mechanical performance for maximum hand dexterity



ERGotech®

- > Form, fit and feel mimics the "hand at rest" reducing hand fatigue
- > Consistent liner penetration with smooth rounded fingertips, improves fingertip sensitivity



GRIPtech®

- > Controlled grip with patented micro-cup coating finish, maximized grip for a variety of environments



LIQUtech®

- > Increased resistance to oils, liquids and chemicals through advanced layering technology



- > A natural cooling agent activated by the movement of the hands, keeping hands cool, dry and productive. Designed to last for the duration of the glove even after repeated laundering

MaxiCut®

GOOD GRIP, DURABLE COATING,
PREMIUM PERFORMANCE

- > Handling, assembly and sorting of small to medium parts
- > Finishing and parts inspection
- > Mechanical equipment maintenance and repair

ATG TECHNOLOGIES



CUTtech®



AIRtech®



ERGotech®



GRIPtech®



MAXICUT® & MAXICUT® DRY



▲ 19-D470

▲ 19-D475

ANSI
A4

- Excellent dry grip
- Good dexterity and tactility
- Patented Micro-Foam nitrile coating offers 360° breathability

MAXICUT®



▲ 18-570

▲ 18-575

ANSI
A2

- Secure dry grip
- Good dexterity and tactility
- Thumb reinforcement for added durability
- Good puncture resistance

MAXICUT® OIL™



▲ 44-504

▲ 44-505

ANSI
A3

- Secure wet and oily grip
- Reinforced thumb for added durability
- Good puncture resistance



▲ 44-304

▲ 44-305

ANSI
A2

- Secure wet and oily grip
- Lightweight and durable
- Reinforced thumb for added durability

MAXICUT® ULTRA™ & ULTRA DT™



▲ 44-3745

▲ 44-3445

ANSI
A3

- Secure dry and light oily grip
- Thumb reinforcement for added durability
- Patented Micro-Foam nitrile coating offers 360° breathability



▲ 44-4745D

▲ 44-5745E

▲ 44-6745F

ANSI
A4

ANSI
A5

ANSI
A6

- Trending ANSI 105 A4-A6 cut resistant rating
- Thumb reinforcement for added durability
- Patented Micro-Foam nitrile coating offers 360° breathability

Breathable cut resistance and premium performance

MaxiCut® & MaxiCut® Dry

STYLE	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
18-570	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Gray	MaxiCut®	Green	15	XS-3XL
18-575	A2	4331BX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Gray	MaxiCut®	Green	15	XS-2XL
19-D470	A4	4443DX	Nitrile Micro-Foam	Palm & Fingers	Gray	MaxiCut®	Gray	13	XS-2XL
19-D475	A4	4443DX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Gray	MaxiCut® Dry	Gray	13	XS-2XL

MaxiCut® Ultra™ & MaxiCut® Ultra DT™

44-3445	A3	4542CX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiCut® Ultra DT™	Blue	15	XS-2XL
44-3455	A3	4542CX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiCut® Ultra DT™	Blue	15	XS-2XL
44-3745	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Blue	15	XS-3XL
44-3745V*	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Blue	15	XS-2XL
44-3745T**	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Blue	15	M-XL
44-3755	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Blue	15	XS-3XL
44-4745D	A4	4343D	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Gray	15	XS-2XL
44-5745E	A5	4343E	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Dark Gray	15	XS-2XL
44-6745F	A6	4243F	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Ultra™	Black	15	XS-2XL

MaxiCut® Oil™

44-504	A3	4442CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Oil™	Blue	15	XS-2XL
44-505	A3	4442CX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	MaxiCut® Oil™	Blue	15	XS-2XL
44-304	A2	4341BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut® Oil™	Green	15	XS-2XL
44-305	A2	4341BX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	MaxiCut® Oil™	Green	15	XS-2XL

* Vend version available

** Tagged version available

MaxiFlex Cut™

MAXIMUM DEXTERITY, BREATHABILITY,
COMFORT AND DURABILITY

ATG TECHNOLOGIES



- > Handling, assembly and sorting
- > General industrial with cut risk hazards
- > Precision construction applications



MAXIFLEX® CUT™



▲ 34-1743

ANSI

A4

With DuPont™ Kelvar™

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability



▲ 34-8743



HI-VISIBILITY

▲ 34-8743FY



ENHANCED PROTECTION

▲ 34-8753

ANSI

A2

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199



▲ 34-8443



ENHANCED PROTECTION

▲ 34-8453

MaxiFlex Cut™

STYLE	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
34-1743	A4	4331DX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex Cut™	Black	15	XS-2XL
34-8443	A2	4331BX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex Cut™	Green	15	XS-2XL
34-8443V*	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex Cut™	Green	15	XS-2XL
34-8443T**	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex Cut™	Green	15	XS-2XL
34-8453	A2	4331BX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex Cut™	Green	15	XS-2XL
34-8743	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex Cut™	Green	15	XS-3XL
34-8743FY	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Hi-Vis Yellow	MaxiFlex Cut™	Hi-Vis Yellow	15	XS-2XL
34-8743V*	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex Cut™	Green	15	XS-3XL
34-8753	A2	4331BX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	MaxiFlex Cut™	Green	15	XS-3XL

* Vend version available

** Tagged version available

MaxiFlex

MAXIMUM BREATHABILITY,
COMFORT AND DURABILITY

ATG TECHNOLOGIES



- > Handling, assembly and sorting of small parts and materials
- > Finishing parts and inspection
- > Light maintenance and repair



MAXIFLEX® ULTIMATE™



▲ 34-874

▲ 34-874FY

The benchmark for precision handling in dry environments

- High tactile sensitivity and dexterity
- Designed and developed with 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199
- Silicone-free



▲ 34-875

▲ 34-876

MAXIFLEX® ENDURANCE™



▲ 34-844

▲ 34-845

Raised micro-dots for more durability

- High tactile sensitivity and dexterity
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199



▲ 34-846

▲ 34-8745



34-874T
Tagged version



34-874V
Vend version

MaxiFlex® Ultimate™

STYLE	EN388	21CFR	CPA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
34-8014	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Hi-Vis Orange	Coated Seamless Knit	15	S-2XL
34-874	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-3XL
34-874FY	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Hi-Vis Yellow	Nylon / Spandex	Hi-Vis Yellow	Coated Seamless Knit	15	S-2XL
34-874T**	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
34-874V*	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-3XL
34-875	4131	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
34-875V*	4131	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
34-876	4131	Yes	Yes	Nitrile Micro-Foam	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
34-846T**	4131	Yes	Yes	Nitrile Micro-Foam	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	M-2XL
42-874	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL

MaxiFlex® Endurance™

34-844	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
34-845	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
34-846	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
34-846T**	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	M-2XL
34-8745	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Black	Coated Seamless Knit	15	S-2XL

* Vend version available

** Tagged version available

Call Customer Service Direct: (855) 284-6800 / 5

MAXIFLEX® ELITE™



▲ 34-244

▲ 34-274

- Maximum dexterity and tactility
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- 360° breathability
- Silicone-free



▲ 34-774B

Anti-static, complies with EN 16350-2014 for electrostatic protective gloves

- Ultra-lightweight at 14 grams per pair
- High dexterity and sensitivity
- Micro-cup non-slip grip enhances performance in wet and oily conditions
- Tailored cuff enhances fit for superior control

Unparalleled dexterity and tactile sensitivity



MAXIFLEX® ACTIVE™



▲ 34-8264

- High tactile sensitivity and dexterity
- 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils

MAXIFLEX® COMFORT™



▲ 34-9025

- 100% Silicone-free
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199

MAXIFOAM®



▲ 34-800

- High dexterity and tactility
- Tough foam nitrile coating for improved grip and durability
- Silicone-free

MAXIDEX®



▲ 19-007

- Liquid proof, air leak tested - EN374-2
- Exclusive AD-APT™ technology keeps hands drier, fresher and cleaner
- Tested against Fentanyl per ASTM D6978-05 (2019)

MaxiFlex® Elite™

STYLE	EN388	21 CFR	CPHA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
34-244	4121	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Blue	Nylon / Spandex	Blue	Coated Seamless Knit	18	XS-XL
34-274	4121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Blue	Nylon / Spandex	Blue	Coated Seamless Knit	18	XS-2XL
34-774B	4121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	18	XS-2XL

MaxiFlex® Active™

34-824	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Light Blue	Nylon / Spandex	Light Blue	Coated Seamless Knit	15	XS-XL
34-8264	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Pink	Nylon / Spandex	Pink	Coated Seamless Knit	15	XXS-XL

MaxiFlex® Comfort™

34-9025	3141	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Blue	Nylon / Cotton / Spandex	Gray	Coated Seamless Knit	15	S-XL
---------	------	-----	-----	--------------------	--------------------------	------	--------------------------	------	----------------------	----	------

MaxiFoam®

34-900	3121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
34-900V	3121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
34-800	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Gray	Nylon / Spandex	White	Coated Seamless Knit	15	XXS-2XL
34-800V	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Gray	Nylon / Spandex	White	Coated Seamless Knit	15	XXS-2XL

MaxiDex®

19-007	3111A	No	No	Nitrile ViroSan™	Blue	Blue	Nylon	Blue	Coated Seamless Knit	15	XS-2XL
--------	-------	----	----	------------------	------	------	-------	------	----------------------	----	--------

* Vented version available

MaxiDry

TOUGH WEARING, OIL RESISTANT GRIP

ATG TECHNOLOGIES



LIQUItech®



ERGotech®



GRIPtech®

- > Handling, assembly and sorting of medium to heavy parts and materials
- > General maintenance and repair
- > Indirect food handling and cold storage applications



▲ 56-424



▲ 56-425



▲ 56-426

MAXIDRY®

Superior grip in oily and wet applications

- Maximum dexterity and comfort
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Dark liner and coating hides dirt

MaxiDry®

STYLE	EN388	21 CFR	CPA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
56-424	4121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	XS-2XL
56-425	4121	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	XS-2XL
56-426	4111	Yes	Yes	Nitrile Micro-Foam	Full Hand	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	S-2XL



MaxiChem®

CHEMICAL RESISTANCE WITH
EXCELLENT COMFORT, SENSITIVITY,
FIT AND DEXTERITY

ATG® TECHNOLOGIES



LIQUItech®



ERGotech®



GRIPtech®

- > Handling chemicals; EN374-1
- > Wet and oily parts handling
- > Heavy-duty cleaning and disinfecting
- > Facility maintenance



▲ 76-730



▲ 76-733

ANSI
A2



▲ 76-830



▲ 76-833

ANSI
A2

MAXICHEM® AND MAXICHEM® CUT™

- Lightweight design provides high dexterity and sensitivity
- Micro-cup non-slip grip enhances performance in wet and oily conditions
- Tailored cuff enhances fit for superior control

MaxiChem®

STYLE NUMBER	EN 374	ANSI CUT	CFA	POLYMER	POLYMER COLOR	COATING COVERAGE	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
76-730	KLMNOP	-	Yes	Latex	Blue	Full	Gauntlet	14"	Supported	Non-Slip	Engineered Yarn	S-2XL
76-733	KLMNOP	A2	Yes	Latex	Blue	Full	Gauntlet	14"	Supported	Non-Slip	Engineered Yarn	S-2XL
76-830	JKLMNO	-	No	Nitrile	Green	Full	Gauntlet	14"	Supported	Non-Slip	Engineered Yarn	S-2XL
76-833	JKLMNO	A2	No	Nitrile	Green	Full	Gauntlet	14"	Supported	Non-Slip	Engineered Yarn	S-2XL



Place Your Order

Call us at (855) 284-6800



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com