



Showcasing the latest innovations in hand protection from the recognized world-class leader in hand protection, ATG°.

ATG[®] designs, develops, and manufactures gloves that enhance the performance of the most sophisticated work tool, the hand.

A Fully Integrated Approach

Focused on innovation and quality, ATG is a fully integrated manufacturer with control of all elements of the manufacturing process, from covering and twisting of yarns, knitting liners, coating, to finishing and packing. ATG operates according to ISO 9001 manufacturing standards, applying a fully integrated approach to transition products from a laboratory concept to full production quickly and efficiently. Not a single element of any product is outsourced.

All ATG* gloves are dermatologically accredited by the Skin Health Alliance and are post washed prior to packaging enabling us to guarantee them "fresh out of the pack" as certified by Oeko-Tex*. All ingredients used in the production of our gloves are manufactured and subject to authorization under the REACH Regulation.

TION & QUALITY

			CUT RESISTANCE	GENERAL PURPOSE	LIQUID & CHEMICAL	WET	DRY	0117	
BRAND	HANDLING CONDITIONS	LINER TECHNOLOGY	PROTECTION				GRIP	PAGE	
MaxiCut*	Assured protection for dry and oily environments	MaxiCut*	•				•		2
	dry and only environments	MaxiCut [®] Dry	•				•		2
		MaxiCut [®] Ultra/Ultra DT™	•				•		2
		MaxiCut° Oil™	•			•		0	2
MaxiFlex*	Precision handling in dry environments	MaxiFlex* Cut™	•				•		4
	in dry dry in the interest	MaxiFlex® Ultimate™		•			•		5
		MaxiFlex [®] Endurance [™]		•			•		5
		MaxiFlex [®] Elite [™]		•			•		6
		MaxiFlex [®] Active [™]		•			•		6
		MaxiFlex* Comfort™		•			•		6
MaxiFoam	Good dry grip, compatibility with light oils	MaxiFoam [®]		•			•		6
MaxiDry*	Controlled performance in wet and oily environments	MaxiDry [*]		•		•		•	7
	in wet and only environments	MaxiDry [®] Zero™		•		•		•	7
		MaxiDry [®] Plus™		•		•		•	7
MaxiChem [®]	Secure safety for chemical environments	MaxiChem [®]			•	•		•	8
	chemical environments	MaxiChem [®] Cut [™]	•		•	•		•	8

ATG* TECHNOLOGIES



- Innovated fibers unique engineered high-performance yams and fibers that offer cut protection while maintaining comfort
- > Reinforced in high wear areas between the thumb and forefinger



> 360° breathability patented Micro-Foam nitrile coating. The most breathable glove on the market



> 25% thinner than most nitrile coated gloves on the market, provides twice the mechanical performance for maximum hand dexterity

.....



- > Form, fit and feel mimics the "hand at rest" reducing hand fatigue
- Consistent liner penetration with smooth rounded fingertips, improves fingertip sensitivity

......

GRIPtech[®]

 Controlled grip with patented micro-cup coating finish, maximized grip for a variety of environments



> Increased resistance to oils, liquids and chemicals through advanced layering technology



> Anatural cooling agent activated by the movement of the hands, keeping hands cool, dry and productive. Designed to last for the duration of the glove even after repeated laundering

MaxiCut GOOD GRIP, DURABLE COATING, PREMIUM PERFORMANCE > Handling, assembly and sorting of small to medium parts > Finishing and parts inspection > Mechanical equipment maintenance and repair ATG* TECHNOLOGIES 💋 CUTtechi AIRtech* S ERGOtech GRIPtech[®] 2 / Email orders to: orders@pipusa.com

MAXICUT® & MAXICUT® DRY





- Excellent dry grip - Good dexterity and tactility - Patented Micro-Foam
- nitrile coating offers 360° breathability

MAXICUT® ULTRA™ & ULTRA DT™

▲ 44-3445





- Secure dry and light oily grip - Thumb reinforcement for added durability
- Patented Micro-Foam nitrile coating offers 360° breathability

- ▲ 19-D470
- ▲ 19-D475

MAXICUT® OIL™







- Secure wet and oily grip - Reinforced thumb for
- added durability - Good puncture resistance



▲ 44-505



- Secure wet and oily grip - Lightweight and durable - Reinforced thumb for added durability
- **44-305**

MAXICUT®

Reinforced

44-3745





- Secure dry grip Good dexterity and tactility
- Thumb reinforcement for added durability
- Good puncture resistance



Breathable cut resistance and premium performance

MaxiCut® & MaxiCut® Dry

▲ 44-304

	,								
STYLE	ANSICUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINERCOLOR	GAUGE	SIZES
18-570	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Gray	MaxiCut [*]	Green	15	XS-3XL
18-575	A2	4331BX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Gray	MaxiCut°	Green	15	XS-2XL
19-D470	A4	4443DX	Nitrile Micro-Foam	Palm & Fingers	Gray	MaxiCut°	Gray	13	XS-2XL
19-D475	A4	4443DX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Gray	MaxiCut [®] Dry	Gray	13	XS-2XL
MaxiCut [®] Ultra	™& MaxiCut°	Ultra DT™							
44-3445	A3	4542CX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiCut [®] Ultra DT [®]	Blue	15	XS-2XL
44-3455	A3	4542CX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiCut° Ultra DT°	Blue	15	XS-2XL
44-3745	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut° Ultra*	Blue	15	XS-3XL
44-3745V*	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut° Ultra*	Blue	15	XS-2XL
44-3745T**	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut° Ultra"	Blue	15	M-XL
44-3755	A3	4542CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut [®] Ultra [®]	Blue	15	XS-3XL
44-6745	A3	4X43CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut° Ultra*	Light Blue	15	S-2XL
MaxiCut° Oil™									
44-504	A3	4442CX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut° Oil"	Blue	15	XS-2XL
44-505	A3	4442CX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	MaxiCut° Oil"	Blue	15	XS-2XL
44-304	A2	4341BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiCut [®] Oil [®]	Green	15	XS-2XL
44-305	A2	4341BX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	MaxiCut° Oil"	Green	15	XS-2XL

Vend version available

^{**} Tagged version available

MaxiFlex Cut

MAXIMUM DEXTERITY, BREATHABILITY, COMFORT AND DURABILITY

ATG* TECHNOLOGIES









- > Handling, assembly and sorting
- > General industrial with cut risk hazards
- > Precision construction applications



MAXIFLEX® CUT™



▲ 34-1743



With DuPont™ Kelvar

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability



▲ 34-6743



With Dyneema Diamond Technology

- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability



▲ 34-8743



▲ 34-8443



▲ 34-8743FY



▲ 34-8453



▲ 34-8753



- Good dry and light oily grip
- Lightweight shell provides high level of dexterity and tactility
- Patented Micro-Foam nitrile offers 360° breathability
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199

MaxiFlex[®] Cut™

maxiii iox out									
STYLE	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
34-1743	A4	4331DX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex [*] Cut ^{**}	Black	15	XS-2XL
34-6743	A2	4X32BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex* Cut*	Green	15	S-2XL
34-8443	A2	4331BX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex° Cut"	Green	15	XS-2XL
34-8443V*	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex° Cut"	Green	15	XS-2XL
34-8443T**	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex° Cut"	Green	15	XS-2XL
34-8453	A2	4331BX	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex [*] Cut ^{**}	Green	15	XS-2XL
34-8743	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex* Cut*	Green	15	XS-3XL
34-8743FY	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Hi-Vis Yellow	MaxiFlex° Cut"	Hi-Vis Yellow	15	XS-2XL
34-8743V*	A2	4331BX	Nitrile Micro-Foam	Palm & Fingers	Black	MaxiFlex° Cut"	Green	15	XS-3XL
34-8753	A2	4331BX	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	MaxiFlex* Cut*	Green	15	XS-3XL

^{*} Vend version available

^{**} Tagged version available

MaxiFlex

MAXIUMUM BREATHABILITY, COMFORT AND DURABILITY

ATG* TECHNOLOGIES

- AIRtech*
- G DURAtechi
- S ERGOtech
- **GRIPtech**[®]
- > Handling, assembly and sorting of small parts and materials
- > Finishing parts and inspection
- > Light maintenance and repair

The benchmark

handling in dry

environments

- High tactile sensitivity and dexterity

- Designed and developed

with 360° breathability Micro-cup finish provides

excellent dry grip and

for precision

MAXIFLEX® ENDURANCE™



▲ 34-845





▲ 34-846 **▲** 34-8745



- High tactile sensitivity and dexterity
- Micro-cup finish provides excellent dry grip and compatibility with light oils Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199

MAXIFLEX® ULTIMATE™



▲ 34-874FY





▲ 34-876

compatibility with light oils Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199 -Silicone-free



MaxiFlex® Ultimate™

11107111 1071											
STYLE	EN388	21CFR	CFIA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINERCOLOR	CONSTRUCTION	GAUGE	SIZES
34-8014	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Hi-Vis Orange	Coated Seamless Knit	15	S-2XL
34-874	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-3XL
34-874FY	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Hi-Vis Yellow	Nylon / Spandex	Hi-Vis Yellow	Coated Seamless Knit	15	S-2XL
34-874T**	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
34-874V*	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-3XL
34-875	4131	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
34-875V	4131	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
34-876	4131	Yes	Yes	Nitrile Micro-Foam	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
34-846T**	4131	Yes	Yes	Nitrile Micro-Foam	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	M-2XL
42-874	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
MaxiFlex* E	ndurar	ıce™									
34-844	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
34-845	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
34-846	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
34-846T**	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	M-2XL
34-8745	4131	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Black	Coated Seamless Knit	15	S-2XL

^{*} Vend version available

^{**} Tagged version available

MAXIFLEX® ELITE™



▲ 34-244



▲ 34-274

- Maximum dexterity and tactility
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- 360° breathability
- Silicone-free



▲ 34-774B

Anti-static, complies with EN 16350-2014 for electrostatic protective gloves

- Ultra-lightweight at 14 grams per pair
- High dexterity and sensitivity
- Micro-cup non-slip grip enhances performance in wet and oily conditions
- Tailored cuff enhances fit for superior control

MAXIFLEX® ACTIVE™



- High tactile sensitivity and dexterity -360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils

▲ 34-9025

MAXIFLEX® COMFORT™



- 100% Silicone-free - Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199

MAXIFOAM®



▲ 34-800

- High dexterity and tactility -Tough foam nitrile coating for improved grip and durability

MaxiFlex® Elite™

▲ 34-8264

STYLE	EN388	21 CFR	CFIA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINERCOLOR	CONSTRUCTION	GAUGE	SIZES
34-244	4121	Yes	Yes	Nitrile Micro-Foam w/ Micro Dots	Palm & Fingers	Blue	Nylon / Spandex	Blue	Coated Seamless Knit	18	XS-XL
34-274	4121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Blue	Nylon / Spandex	Blue	Coated Seamless Knit	18	XS-2XL
34-774B	4121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	18	XS-2XL
MaxiFlex® Ad	ctive										
34-824	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Light Blue	Nylon / Spandex	Light Blue	Coated Seamless Knit	15	XS-XL
34-8264	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Pink	Nylon / Spandex	Pink	Coated Seamless Knit	15	XXS-XL
MaxiFlex® Co	omfort™										
34-9025	3141	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Blue	Nylon / Cotton / Spandex	Gray	Coated Seamless Knit	15	S-XL
MaxiFoam®											
34-900	3121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
34-900V*	3121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
34-800	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Gray	Nylon / Spandex	White	Coated Seamless Knit	15	XXS-2XL
34-800V*	4131	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Gray	Nylon / Spandex	White	Coated Seamless Knit	15	XXS-2XL

* Vend version available











▲ 56-425



▲ 56-426

MAXIDRY®

Superior grip in oily and wet

application and the control of the c

- Micro-cup finish provides excellent dry grip and compatibility with light oils

- Dark liner and coating hides dirt

MaxiDry[®]

. ,											
STYLE	EN388	21 CFR	CFIA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
56-424	4121	Yes	Yes	Nitrile Micro-Foam	Palm & Fingers	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	XS-2XL
56-425	4121	Yes	Yes	Nitrile Micro-Foam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	XS-2XL
56-426	4111	Yes	Yes	Nitrile Micro-Foam	Full Hand	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	S-2XL









▲ 56-633



▲ 56-635

MAXICHEM®

Designed and developed for those working with chemicals who require higher levels of protection

- Lightweight design provides high dexterity and sensitivity
- Micro-cup non-slip grip enhances performance in wet and oily conditions
- Tailored cuff enhances fit for superior control

MaxiChem[®]

STYLE NUMBER	EN 374	EN 388	CFIA	POLYMER	POLYMERCOLOR	GRIPCOLOR	COATING COVERAGE	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
56-630	AKL	4121	Yes	Nitrile	Green	Black	Full	Gauntlet	12"	Supported	Non-Slip	Nylon	S-2XL
56-633	AKL	4342	No	Nitrile	Green	Black	Full	Gauntlet	12"	Supported	Non-Slip	Engineered Yarn	S-2XL
56-635	AKL	4121	Yes	Nitrile	Green	Black	Full	Gauntlet	14"	Supported	Non-Slip	Nylon	S-2XL





PROTECTIVE INDUSTRIAL PRODUCTS, INC.
968 Albany Shaker Road | Latham, NY 12110
518-861-0133 | 800-262-5755
sales@pipusa.com | www.pipusa.com