

SPECIFICATION SHEET STYLE: 9916



Boss[®]

Top Grain Goatskin Leather Drivers Glove with Kevlar[®] Blend Lining and Hi-Vis Impact Protection

- Top Grain Goatskin leather construction is the softest, most abrasion-resistant leather and is highly recommended for applications requiring tactile sensitivity
- Top Grain leather is smooth, provides durability and dexterity
- Kevlar[®] blended fiber liner on palm for superior cut protection
- Thermo Plastic Rubber (TPR) back-of-hand impact resistance to knuckles and fingers by dispersing impact force energy away from the bone, without sacrificing dexterity
- ANSI Level 4 Puncture Resistance
- Hook & loop closure for easy on/off and a secure fit

Applications

- Cut Resistance with Light Heat Protection
- Automotive Applications
- Glass Operations



Technical Data

Color	Natural
Sizes Available	S-3XL
Packaging	Pair Bagged Retail Ready
Packed	72/Case
Case Dimensions (cm)	72.00 x 29.80 x 38.30
Case Weight (kg)	15.55
Country of Origin	Indonesia
Hide	Top Grain Goatskin
Palm	
Back	
Thumb	Wing
Cuff	
Closure	Hook and Loop
Impact Protection	Finger, Thumb, Back of Hand
Construction	Cut-and-Sewn, Reinforced Thumb Crotch
Certifications	Chromium VI Free
Product Circularity	

Performance Data

Cut Level	A7
ANSI Abrasion Level	
ANSI Puncture Level	4
ANSI Impact Level	1
PPE Category	
ANSI Contact Heat Level	
EN 388	3X44FP

Care Instructions

Do Not Wash

PROTECTIVE INDUSTRIAL PRODUCTS, INC. BRINGING THE BEST OF THE WORLD TO YOU® AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-05-16