

# SPECIFICATION SHEET STYLE: HVG713SSN



## Barracuda®

Hi-Vis Seamless Knit HPPE Blended Glove with Nitrile Coated Sandy Grip on Palm & Fingers

- Seamless construction offers increased comfort and breathability
- Polykor blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Sandy Nitrile coatings are impermeable providing an elevated grip in dry and oily conditions, infused with thousands of tiny suction cup pockets that create a vacuum effect that dispenses fluids away on
- Reinforced thumb crotch for extended glove life, enhanced comfort, increased abrasion resistance and added durability in a high-wear
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Hi-Vis coloring makes this product very easy to see

## **Applications**

- · Secure Dry Grip and Oil Resistant
- Handling and Assembly of Medium to Large Parts and Materials
- Metal Fabrication
- Mechanical Equipment Maintenance and Repair
- Heavy to Medium Fastening and Anchoring











#### **Technical Data**

| Color                | Hi-Vis Green  |
|----------------------|---|
| Sizes Available      | S-2XL   |
| Packaging            | Bulk Pack   |
| Packed               | 12/Case   |
| Case Dimensions (cm) | 49.53 x 27.31 x 35.56   |
| Case Weight (kg)     | 17.50   |
| Country of Origin    | China   |
| Liner Material       | PolyKor   |
| Coating              | Nitrile   |
| Coating Color        | Blue  |
| Coating Coverage     | Palm & Fingers  |
| Grip                 | Sandy   |
| Gauge                | 13  |
| Cuff                 | Knit Wrist  |
| Impact Protection    |   |
| Construction         | Coated Seamless Knit,<br>Reinforced Thumb Crotch,<br>Touchscreen Compatible |
| Certifications       |   |
| Product Circularity  | Recycled via Terracycle<br>Reusable / Launderable                           |

#### **Performance Data**

| Cut Level                       | A2     |
|---------------------------------|--------|
| ANSI Abrasion Level             | 4      |
| ANSI Puncture Level             | 3      |
| ANSI Impact Level               |        |
| ANSI Contact Heat Level         |        |
| EN 388                          | 4X42BX |
| ASTM F1358 Vertical Flame Level |        |
| EN 407                          |        |

### **Care Instructions**













KEY: Made from recycled or bio-based Launderable & Recyclable via TerraCycle®