



SPECIFICATION SHEET

STYLE: S10ATAFRCM/4-EW-ES6



Kut Gard®

Single-Ply ATA® / Sta-Cool™ Blended Sleeve - Wide Width

- Proprietary ATA® Technology provides ANSI A4 cut protection and ASTM F1358-08 Vertical Flame Test - passes Level 2
- Sta-Cool® plating inside the sleeve feels cool against the skin, and helps to wick away moisture for greater wearer comfort
- Three widths are available, narrow, standard and wide for a personalized fit; great for workers with thin to bulky arms
- 10 gauge knit is cool wearing and comfortable
- Color-coded overedge indicates width of sleeve, red indicates narrow, yellow indicates standard and green indicates wide, for ease in sorting
- No-Slip elastic at the top of the sleeve helps to keep sleeves in place

Applications

- High Cut Protection and Performance
- Machine Operations
- Metal Fabrication
- Plastic Molding



Technical Data

| | |
|----------------------|---|
| Color | Green |
| Sizes Available | 18, 22 |
| Packaging | Bulk Banded |
| Packed | 72/Case |
| Case Dimensions (cm) | 50.80 x 35.56 x 27.94 |
| Case Weight (kg) | 13.22 |
| Country of Origin | United States |
| Liner Material | ATA Fiber Technology, Aramid, Sta-Cool |
| Top of Arm | Non-Slip |
| Finger & Thumb | Thumb Hole |
| Ply | Single-Ply |
| Lining | -- |
| Construction | Machine Knit, Seamless Knit |
| Certifications | TAA Compliant |
| Product Circularity | Reusable / Launderable Recycled via Terracycle |

Performance Data

| | |
|---------------------------------|----|
| Cut Level | A4 |
| ANSI Puncture Level | -- |
| ANSI Contact Heat Level | 2 |
| ASTM F1358 Vertical Flame Level | 2 |

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-06-28