

# SPECIFICATION SHEET

STYLE: 150-0-11



## **NOVAX®**

# Class 0 Rubber Insulating Glove with Straight Cuff - 11"

- Contoured shape reduces hand fatigue
- Natural rubber construction offers the required dielectric properties combined with flexibility, strength and durability
- Silicone free
- Individually numbered for traceability and stamped with factory manufacturing date
- Meets ANSI/ASTM D120 standard for use around electrical hazards

## **Applications**

- Power Generation
- Electrical Contractors
- Plant Maintenance
- Utility Work
- Hybrid Automotive Repair, Service and Manufacturing

### **Technical Data**

| Color                | Black                    |
|----------------------|--------------------------|
| Sizes Available      | 6-12                     |
| Packaging            | Boxed                    |
| Packed               | 12 Pair/Case             |
| Case Dimensions (cm) | 43.00 x 43.00 x 32.50    |
| Case Weight (kg)     | 4.68                     |
| Country of Origin    | Malaysia                 |
| Material             | Rubber                   |
| Length               | 11"                      |
| Cuff                 | Straight                 |
| Cuff Color           | Black                    |
| Construction         |                          |
| Certifications       | ASTM D120, Silicone Free |
| Product Circularity  |                          |

### Performance Data

Electrical Class Class 0

#### Care Instructions

Wash in warm water (29°C/85°F) with mild detergent and disinfect with a small amount of chlorine bleach. Air or tumble dry at low heat (74°C/165°F). Gloves may be dusted lightly with talc to reduce tackiness. Gloves should be stored in a glove bag, finger tips up, hung and not laid flat. Leather protecting glove should be removed before storage. Never fold gloves. Store in as dry and cool (35°C/95°F maximum) location as possible, away from sources of ozone and direct sunlight.