



### PowerGrab™ KEV4

Seamless Knit DuPont™ Kevlar® Glove with Latex Coated MicroFinish Grip on Palm & Fingers

- Seamless knit construction provides comfort without sacrificing dexterity
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity
- Latex "MicroFinish" coated palm and fingertips provide a superior grip in dry, wet and oily conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Launderable for extended life and to reduce replacement costs

### Applications

- Secure Dry Grip and Oil Resistant
- Handling and Assembly of Medium to Large Parts and Materials
- Metal Fabrication
- Mechanical Equipment Maintenance and Repair
- Heavy to Medium Fastening and Anchoring



### Technical Data

|                      |   |
|----------------------|---|
| Color                | Yellow  |
| Sizes Available      | S - XXL   |
| Packaging            | Bulk Pack   |
| Packed               | 6/Case  |
| Case Dimensions (cm) | 71.50 x 27.50 x 26.00                             |
| Case Weight (kg)     | 9.70  |
| Country of Origin    | China   |
| Liner Material       | Kevlar  |
| Coating              | Latex   |
| Coating Color        | Blue  |
| Coating Coverage     | Palm & Fingers                                    |
| Grip                 | MicroFinish                                       |
| Gauge                | 10  |
| Cuff                 | Knit Wrist  |
| Impact Protection    | --  |
| Construction         | Coated Seamless Knit                              |
| Certifications       | --  |
| Product Circularity  | Recycled via Terracycle<br>Reusable / Launderable |

### Performance Data

|                                 |        |
|---------------------------------|--------|
| Cut Level                       | A4     |
| ANSI Abrasion Level             | 3      |
| ANSI Puncture Level             | --     |
| ANSI Impact Level               | --     |
| ANSI Contact Heat Level         | --     |
| EN 388                          | 3X43D  |
| ASTM F1358 Vertical Flame Level | --     |
| EN 407                          | X2XXXX |

### Care Instructions



Machine Wash



Water Temp  
40°C



Do Not  
Bleach



Tumble Dry



Low Heat

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobalsafety.com](http://www.pipglobalsafety.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-03-12