

SPECIFICATION SHEET

STYLE: 16-323FT



G-Tek® PolyKor®

G-Tek® Polykor® 15 Gauge Hi-Vis 2 Fingers & Thumb Seamless Knit Polykor® Blended Glove With Nitrile Coated Foam Grip On Palm & Fingers - Cut B

- PolyKor® blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- · Seamless construction offers increased comfort and breathability
- Foam nitrile coated palm and fingers are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Reinforced thumb crotch for longer wear
- 2 fingers & thumb middle finger and index finger are cut at the level of the first phalanx in order to maintain total sensitivity on f ingertips while protecting the rest of the hand. Cut resistant level B
- Knit wrist helps prevent dirt and debris from entering the glove



Technical Data

| Color | Hi-Vis Yellow |
|----------------------|--|
| Sizes Available | |
| Packaging | Pair Bagged Retail Ready |
| Packed | |
| Case Dimensions (cm) | |
| Case Weight (kg) | 0.00 |
| Country of Origin | China |
| Liner Material | PolyKor |
| Coating | Nitrile |
| Coating Color | Gray |
| Coating Coverage | Palm & Fingers |
| Grip | Foam |
| Gauge | 15 |
| Cuff | Knit Wrist |
| Impact Protection | |
| Construction | Coated Seamless Knit, Reinforced Thumb Crotch |
| Certifications | |
| Product Circularity | |

Performance Data

| Cut Level | A2 |
|---------------------------------|-------|
| ANSI Abrasion Level | |
| ANSI Puncture Level | |
| ANSI Impact Level | |
| ANSI Contact Heat Level | |
| EN 388 | 4X31B |
| ASTM F1358 Vertical Flame Level | |
| EN 407 | |

Care Instructions









