# SPECIFICATION SHEET STYLE: 16-836



# G-Tek<sup>®</sup> Typhan<sup>™</sup>

G-Tek Typhan® XLT1 - 13 Gauge Seamless cut resistant knit glove with XREY<sup>™</sup> blended liner and premium crinkle latex coating on palm & fingers. - Cut F.

- ٠ Seamless construction offers increased comfort and breathability
- The Patented XREY<sup>™</sup> yarn has one of the highest strength to weight . ratio and allows it to remove the need for any glass or steel within the liner, removing the chance of any irritation for the wearer. Our X-REY<sup>™</sup> fiber is 15X stronger than HPPE at the same weight. Fine and soft, it is 25% lighter than other fibers. •NO STEEL • NO GLASS FIBER • NO TUNGSTEN • NO BASALT
- The premium blue crinkle latex coating is excellent for use in wet or dry environments, coupling enhanced grip with excellent abrasion resistance.
- . 13 Gauge.
- ٠ Knit Wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and reduced replacement costs.



## **Technical Data**

Color	Blue
Sizes Available	
Packaging	Bulk Pack
Packed	
Case Dimensions (cm)	
Case Weight (kg)	0.00
Country of Origin	
Liner Material	Engineered Yarn
Coating	Latex
Coating Color	Blue
Coating Coverage	Palm & Fingers
Grip	Crinkle
Gauge	13
Cuff	Knit Wrist
Impact Protection	
Construction	Coated Seamless Knit, Water Resistant
Certifications	TAA Compliant
Product Circularity	

### **Performance Data**

Cut Level	
ANSI Abrasion Level	
ANSI Puncture Level	
ANSI Impact Level	
ANSI Contact Heat Level	
EN 388	3X43F
ASTM F1358 Vertical Flame Level	
EN 407	X1XXXX

 $\otimes$ 

Do Not

Bleach

### **Care Instructions**





O

Low Heat

#### PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU\* AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-08-27